#### **COMPRESSOR OILS**





	PRODUCT LINE						
	Cetus® DE*	Cetus PAO	Cetus PAO HC	Cetus HiPerSYN®	Regal R & O	HDAX® NG Screw Compressor Oil	Cylinder Oil W
		SYNTHETIC		MINERAL			
GAS TYPE							
AIR	•	•		•	•		
LANDFILL GAS		•		•	•		•
NATURAL GAS PIPELINE QUALITY		•	•	•	•	•	•
NATURAL GAS WITH H <sub>2</sub> S (SOUR GAS)**		•	•			•	
NATURAL GAS > 10% CO <sub>2</sub>		•		•	•		
NATURAL GAS WITH LIQUID HC	•	•		•	•		•
PROPANE							
CO <sub>2</sub>	•	•		•	•		
NITROGEN		•		•	•		
HYDROGEN			•				
APPLICATION							
ROTARY COMPRESSOR	•	•		•	•	•	
RECIPROCATING COMPRESSOR	•	•	•	•	•		•
NORMAL DUTY SERVICE	•	•	•	•	•	•	•
HEAVY DUTY SERVICE	•	•		•			

<sup>\*</sup>Cetus DE is not recommended for use with gases saturated with water.

<sup>\*\*</sup>When compressing natural gas with a concentration of sour gas, Chevron recommends monitoring water saturation, which may create a corrosive environment in gas compression processes.



#### COMPRESSOR OILS COMPETITIVE CROSS REFERENCE



COMPANIES	CHEVRON	MOBIL	SHELL	FUCHS	TOTAL	CASTROL
O	Cetus® DE	Rarus 800	Corena S4 P Corena AP	Renolin SE	Dacnis SE	Aircol SN
SYNTHETIC	Cetus PAO	SHC Rarus	Corena S4 R Corena AS	Renolin Unisyn OL	Dacnis SH Synolan 1000	Aircol SR
	Cetus® HiPerSYN®		Corena S3 R Corena S	Renolin Cool+ Renolin SC MC	Dacnis LD	
	Cylinder Oil W	DTE Oil 205	Gas Compressor Oil S1	Renolin CH	Cylan WG Oil	Cresta VA

Never use this cross-reference for making final Chevron product recommendations or selections. Always check OEM recommendations and operating conditions to recommend or select the correct Chevron product. Competitors' products listed are not intended to represent equivalent performance to Chevron products.



# REFRIGERATION COMPRESSOR OILS



	PRODUCT LINE					
	Capella P	Capella WF				
	MINERAL OIL					
REFRIGERANT TYPE						
CFC (R-12, FREON-12)		•				
HCFC (R-22, R-31, R-21, R-123)	•	•				
HFC (R-134A)						
HFC (R-32, R-23, R-125)						
R-407A AND R-407C						
R-410A		•				
AMMONIA (R-717)	•	•				
APPLICATION						
ROTARY COMPRESSION	•	•				
RECIPROCATING COMPRESSION	•	•				
NORMAL DUTY SERVICE	•	•				
HEAVY DUTY SERVICE						



# REFRIGERATION COMPRESSOR OILS INDUSTRY AND OEM SPECIFICATIONS (A-D)



	PRODUCT LINE			
	Capella WF 32	Capella WF 46	Capella WF 68	
		MINERAL OIL		
INDUSTRY STANDARD SPECIF	ICATIONS			
BS 2626:1992	Meet	Meet	Meet	
DIN51503				
OEM SPECIFICATIONS				
ABB STAL REFRIGERATOR AB	Approved	Approved	Approved	
APV - BAKER			Approved	
BITZER				
BITZER KUHLMASCHINENBAU	Approved	Approved	Approved	
воск	Approved	Approved	Approved	
BROEDRENE GRAM				
CARRIER	Approved			
COPELAND	Approved			
DANFOS				
DORIN				

This chart is intended to be used as a reference guide and should not be the sole basis for any product recommendations or selections. Always check OEM recommendations and operating conditions to recommend or select the correct Chevron product. Additional information can be found on the applicable PDS at https://cglapps.chevron.com/msdspds/HomePage.aspx. Some approvals and recommendations do not apply to all viscosity grades. Recommendations subject to change without notice.



## REFRIGERATION COMPRESSOR OILS OF SPECIFICATIONS (G-Y)



	PRODUCT LINE				
	Capella WF 32	Capella WF 46	Capella WF 68		
	MINERAL OIL				
GRAM			Approved		
GRASSO			Approved		
HI AIR KOREA					
HOWDEN					
LINDE	Approved	Approved	Approved		
MATSUBARA IRON WORK					
MCQUAY			Approved		
МУСОМ	Approved	Approved			
NECCHI/ ERC					
SABROE					
SULLAIR			Approved		
TECHNOFRIGO DELL'OSTO			Approved		
THERMO KING					
YORK	Approved		Approved		

This chart is intended to be used as a reference guide and should not be the sole basis for any product recommendations or selections. Always check OEM recommendations and operating conditions to recommend or select the correct Chevron product. Additional information can be found on the applicable PDS at https://cglapps.chevron.com/msdspds/HomePage.aspx. Some approvals and recommendations do not apply to all viscosity grades. Recommendations subject to change without notice.



## REFRIGERATION COMPRESSOR OILS COMPETITIVE CROSS REFERENCE



COMPANIES	CHEVRON	MOBIL	SHELL	FUCHS	TOTAL	CASTROL
MINERAL OIL	Capella P		Refrigeration Oil S2 FR-A	Reniso TES 100	Lunaria NH	Aircol AMX
	Capella WF	Gargoyle Arctic 155 & 300		Reniso K Series	Lunaria FR	Aircol 200

Never use this cross-reference for making final Chevron product recommendations or selections. Always check OEM recommendations and operating conditions to recommend or select the correct Chevron product. Competitors' products listed are not intended to represent equivalent performance to Chevron products.

